

Machine List



(2) Citizen Cincom E16-J III
Equipped with IEMCA Mini Boss 432
barfeeders

Key features

- 0.625" Maximum machining Diameter
- X1, X2, Z1, Z3, C1 axes
- Twin Spindle – Dual Turret with live tool
- 20 Tool positions (10 + 10)
- 0.625" Maximum machining Diameter



(1) Citizen Cincom L632-VII
Equipped with IEMCA Mini Boss 332
barfeeder

Key features

- 1.250" Maximum machining Diameter
- X1, Y1, Z1, C1, X3, Z3, C2 axes
- 5 Turning Tool positions
- 4 side live driven tools
- 4 static front drilling tools
- 3 back work live tools



(2) Citizen Cincom M212
Equipped with LNS Tryton 112 barfeeders

Key features

- 0.500" Maximum machining Diameter
- X1, Y1, Z1, C1, X2, Z2, X3, Z3, C2 axes
- 5 Turning Tool positions
- 3 side live driven tools
- 10 station turret
- 3 back static tools



(1) Citizen Cincom M532-VIII
Equipped with CAV barfeeder

Key features

- 1.250" Maximum machining Diameter
- X1, Y1, Z1, B1, C1, X2, Y2, Z2, X3, Z3, Y3, C2 axes
- 5 Turning Tool positions
- 4 side live driven tools
- 8 static front drilling tools
- 4 back work live tools
- (of which B-axis tools: 4)



(2) Citizen Cincom M316
Equipped with CAV-16 barfeeder

Key features

- 0.625" Maximum machining Diameter
- X1, Y1, Z1, C1, X2, Z2, X3, Z3, C2 axes
- 5 Turning Tool positions
- 4 side live driven tools
- 10 station turret with half index
- 3 back static tools



(1) Citizen Cincom M332-V
Equipped with IEMCA Mini Boss 332
barfeeder

Key features

- 1.250" Maximum machining Diameter
- X1, Y1, Z1, C1, X2, Y2, Z2, X3, Z3, C2 axes
- 5 Turning Tool positions
- 4 side live driven tools
- 10 station turret with half index
- 3 back static tools
- Unloader arm



(1) Citizen Cincom C332-V
Equipped with IEMCA Mini Boss 332
barfeeder

Key features

- 1.250" Maximum machining Diameter
- X1, Y1, Z1, C1, X2, Z2, Z3, C2 axes
- 5 Turning Tool positions
- 4 side live driven tools
- 2 front live tools
- 2 back static tools
- 2 back live tools
- Unloader arm

Secondary Equipment

Overbeck Twister Speed lathes

Burr King Vibratory Machine

Brown and Sharpe 510 Surface Grinder with Sony Digital Readout.

ESMA E291 PLC controlled, Ultrasonic Cleaning System (9 Gallon tank).